



GOPS 2016
Shanghai



全球运维大会

2016

重新定义运维

上海站

会议时间： 9月23日-9月24日

会议地点： 上海·雅悦新天地大酒店

主办单位：



指导单位：



eBay Hadoop 海量集群自动化运维实践

李健 eBay Hadoop Services



About me



Polo Li

Hadoop Services CCOE Team Leader - eBay China Development Center

Pudongxin District, Shanghai, China | Computer Software

Current	eBay China Development Center
Previous	eBay China Operation Center
Education	University of Science and Technology of China

[View profile as](#) ▼

242
connections

<https://cn.linkedin.com/in/polo-li-84477186>


 Contact Info

Agenda

- **Hadoop @eBay**
- Problem Statement
- What is Hadoop Robot
- Q&A



Hadoop @eBay



Hadoop @eBay

- 10+ large Hadoop Clusters
- 10,000+ nodes
- 50,000+ jobs per day
- 50,000,000+ tasks per day



Shared vs Dedicated Clusters

- **Shared clusters**


- Used primarily for analytics of user behavior and inventory
- Mix of batch and ad-hoc jobs
- Mix of MR, YARN, Hive, Pig, Cascading, etc.
- Hadoop and HBase security enabled

- **Dedicated clusters**

- Very specific use case like index building
- Tight SLAs for jobs (in order of minutes)
- Immediate revenue impact
- Usually smaller than our shared clusters, but still large (600+ nodes)



Hadoop Platform Stack



Team Responsibility

- Full hadoop stack support for Cassini Hadoop (CDH)- hardware up to (and including) the Hadoop/HBase platform itself
- Full hadoop stack support for Analytics Hadoop (HDP) - hardware up to (and including) the Hadoop/HBase platform itself



Daily Work Overview

- Hadoop Maintenance to fix the bad nodes (having disk, nic, cpu, mem, fan, power supply, bmc or the other hardware problems) and keep the live nodes percent $\geq 98\%$ for all production hadoop clusters
- Keep up with dozens of requests for software and configuration updates/upgrades on the Hadoop/Hbase platform
- Quickly diagnose production problems and rapid response to any Hadoop/Hbase, hardware, os issues.
- Build the new clusters or expand the current clusters
- Monitor all the production hadoop clusters with OS and Hadoop Metrics
- Monitor running jobs performance
- Hadoop Clusters management – HDFS Quota, Queue, Permission, Trash setting, enable audit logs and make any necessary tuning changes to clusters
- Deal with the linux kernel issues
- Deal with JVM issues
- Deal with the oozie && cm mysql db issues
- Linux OS, firmware and hardware upgrades
- Hadoop automation
- 24 * 7 on call support for production hadoop clusters



Agenda

- Hadoop @eBay
- **Problem Statement**
- What is Hadoop Robot
- Q&A



Problem Statements

- Long trouble shooting time
- Bad cluster performance
- Too many different skus, operating systems and metadatas
- Human resource Cost
- Cluster Availability



Traditional Trouble Shooting Pipeline

Step 1

- Check failed application task logs to find out the suspicious hadoop nodes

Step 2

- Check the suspicious hadoop node hardware && system status

Step 3

- Check hadoop metrics and hadoop daemon logs

Step 4

- Check hadoop source code



Victim or Perpetrator ?

Sometimes you think you've found the perpetrators, however it may turn out to be the victim.



What may impact cluster performance?

- Hardware
- System
- Hadoop
- JVM




Advantages vs Disadvantages

Hadoop can run on cheap(er) hardware but ensuring good performance is a challenge due to less fault-tolerant hardware.



Hardware issues



System issues

- High load
- Node reboot
- Disk full
- Network saturated fully
- OOM
- Kernel bug
- Orphan processes
- ...



Hadoop Issues

- Hot spot
- Low hdfs locality
- High RPC call queue length
- Hadoop configuration inconsistent issues
- Big resource consuming applications
- Big log/hdfs output applications
- Bad Application scheduling
- ...




Premise

- Unhealthy hardware exhibit differences when compared normal, healthy nodes.



About hadoop node



Different SKU

- Cpu core
- Memory size
- Disk number
- Disk size
- Nic Speed
- ...



Different OS

- Image profile
- Image version
- Patches
- ...



Different Metadata

- **Hadoop Metadata**
 - Daemons
 - Packages
 - Configurations
- **OS Metadata**
 - Services
 - Scripts/Tools
 - Configurations



Human Resource Cost

- Detect node (varies based on admin experiences)
- Node decommission (1-2 Hours)
- Vendor offline remediation (3-5 Days)
- Node reimage (45 Mins)
- Hadoop Installation and OS configuration (15 Mins)
- Node restart (5 Mins)
- Disk burning test (6-8 Hours)
- Node health verification (15 Mins)
- Node recommission (15 Mins)



Cluster Availability

- Improve Availability
 - Increase Live data node percentage
 - Reduce job failures due to bad node



How to make cluster management easier ?

We need to locate unhealthy nodes and offline them as quickly as possible without any manual trouble shooting.

Best practice is that make sure the nodes of the same sku having same

- Operation System
- Hadoop and OS Metadata

Hardware Maintenance work is laborious and expensive – automation is a necessity.



Agenda

- Hadoop @eBay
- Problem Statement
- **What is Hadoop Robot**
- Q&A



What is Hadoop Robot

Hadoop Robot is action and remediation center for eBay hadoop clusters:

- End-to-end automated remediation center
- API center for hadoop action and remediation
- Unified Hadoop Admin Console
- Real time maintenance view of Hadoop clusters
- Analytical insights into hardware maintenance data




End-to-end Automatic remediation center


- Hardware Maintenance
 - Alert Detection
 - Node Decommission
 - Remediation
 - Node Recommission
- Remove Failed Disk Volume
- Bad Disk Hot Swap
- Hadoop Daemon Restart
- Hadoop Abnormal Job Termination
- Hadoop Cluster Expansion
- ...



Robot Architecture



Robot Job Runner




Job Status State Machine



Hardware and System Alerts

• Hardware



Hardware and System Alerts

- **System**

DISK

DISK_SPACE_CHECK

REBOOT


NODE_REBOOT_CHCEK

PROCESS


ORPHAN_PROCESSES_CHECK



Data Flow



Robot Alert Processing Logic




Hardware Maintenance Workflow


- Alert detection
- Node decommission
- Vendor remediation (while node is offline)
- Node OS reprovisioning
- Hadoop Installation && OS configuration
- Node restart
- Burn-in test
- Node health verification
- Node recommission




Alerts Drive Workflow



Hardware Maintenance



Node Decommission



100% Healthy




Vendor




Vendor returns the server after fixing the hardware

Robot runs remediation job to ensure the Hadoop node is 100% healthy before add it back to the cluster automatically



Hadoop Robot

Metadata Setup - ansible



What's ansible ?

- Configuration management
- Release management
- Automation framework
- Orchestration system
- Distributed batch executor
- No agent
- No server
- Modules in any languages
- Yaml
- Ssh by default
- Strong multi-tier solution



One button hadoop installation and system configuration

We use ansible playbook to install and configure various OS and software packages including Hadoop.

Copy the Hadoop Packages,
Configuration and Codes from
Source to the Destination Node



Update Symbolic Links to point
to the Latest Hadoop Code.



Restart Hadoop Daemon

```
- hosts: datanode
  vars_files:
    - vars/main.yml
  gather_facts: yes
  tasks:
    - include: hadoop-config.yml
    - include: enable.yml
    - include: dt.yml

- hosts: masternode
  vars_files:
    - vars/main.yml
  gather_facts: yes
  tasks:
    - include: hadoop-config.yml
    - include: enable.yml
    - include: dt.yml
```

Bonnie++

- We use bonnie++ to carry out a stress-test of the repaired hardware. This not only puts a load on the I/O and disk subsystem, but it also can flush out CPU, RAM and fan/cooling issues.




Cluster level status overview

Dashboard / Cluster


Overview

Detail Mon, 13 Jul 2015 14:22:02 GMT

Total Status: OK InitialChecked HDDFailure Ready4Decomm Ready4dsDecomm Ready4Diag Report2Repair Restore Reimage Format Burn Read4Reads Resolved



Unified Hadoop Admin Console



Summit Job

The screenshot displays the 'Hadoop Robot' interface from eBay Inc. The top navigation bar includes 'Hadoop Robot', 'Home', and 'Jobs' tabs. A search bar on the right is labeled 'Search node' and contains the text 'LI Jian'. Below the navigation bar, there are three main job categories, each with a description and a right-pointing arrow:

- Automatic Remediation**: Initiate Automated Maintenance Workflow - End-to-end repair. Remove a node from participating actively in a cluster, submit it to the repair hardware repair workflow, reimage, prepare and...
- Decommission**: Initiate Decommission Only - Remove a node from participating actively in the cluster.
- Recommission**: Initiate Reimage, Preparation, Burn-in & Recommission Only - Reset a decommissioned node to a fresh state and verify its health, return a node to active participation in the cluster.

A 'Recommission' dialog box is open in the foreground, featuring the following fields and controls:

- *Cluster:** A dropdown menu.
- *Host name:** A text input field.
- *Comment:** A larger text area for additional notes.
- *Dry run:** A checkbox labeled 'Yes'.
- Buttons:** 'Start' and 'Cancel' buttons at the bottom right.

Track Robot Job Activities

Hadoop Robot Home Jobs Login

Home / Node

Search

Job List (past 30 days)

Job ID	Job Type	Start Time	End Time	Status	Result
2344	Decommission	2015-07-09 16:30:42	2015-07-09 16:31:43	Finished	Success
2341	Decommission	2015-07-09 16:11:36	2015-07-09 16:12:38	Finished	Success
2340	Decommission	2015-07-09 16:05:35	2015-07-09 16:06:36	Finished	Success

Job Detail

Labels: Success Running Fail

```
graph LR; A[CONFIRM_ALERTS 3s] --> B[PREPARE_FOR_DECOM 1s]; B --> C[DECOM_NODEMANAGER_REGIONSERVER 11s]; C --> D[DECOM_DATANODE 40s]
```


2015-07-09 16:30:43 -- 2015-07-09 16:30:46: CONFIRM_ALERTS : node fails to pass the intcheck.sh thus the node is really bad

2015-07-09 16:30:46 -- 2015-07-09 16:30:47: PREPARE_FOR_DECOM : prepare for decommission

2015-07-09 16:30:47 -- 2015-07-09 16:30:58: DECOM_NODEMANAGER_REGIONSERVER : decom nodemanager and regionserver on the node

2015-07-09 16:30:58 -- 2015-07-09 16:31:43: DECOM_DATANODE : decom datanode on the node

Robot – Achievement



Agenda

- Hadoop @eBay
- Problem Statement
- What is Hadoop Robot
- **Q&A**





Thanks

高效运维社区
开放运维联盟

荣誉出品





想第一时间看到高效运维公众号的好文章么？

请打开高效运维公众号，点击右上角小人，并如右侧所示设置即可：



GOPS2016 全球运维大会更多精彩

GOPS2016 全球运维大会·北京站

2016年12月16日-17日
北京国际会议中心

