

Heralding Next-gen Autonomous Applications


Our Mission

Free your applications from the shackles of infrastructure

by

Making them self-aware and self-managing by infusing consciousness

Evolution of Application Autonomy



Introducing Cognitive Application Area Networks




Inter Cloud & On-



99.999

Cognitive Application Layer















IBM **Bluemix**™





























Beam me up Scotty (Application Teleportation)





For live demo of C3DNA teleporter, please stop by our kiosk - SOA | 045

New Approach, Application Teleportation

Application teleportation at the Application layer, the "Source"

- Deliver application layer visibility & control
 - ✓ Visibility from the app not from the infrastructure
 - ✓ Get true application profile from the source, the Application
 - ✓ Application Dependencies, Characteristics, App resources consumption
- Eliminate the need for complex VM replication & infrastructure centric migration
- Simple and Fast: migrate JUST the application

Benefits



Lift and Shift

Any App even in Active State



Vendor Independence



User Control




User Managed




50 % LESS OPEX ANY INFRASTRUCTURE

Others Migrate VMs (VMotion)



C3DNA Migrates Apps and Workloads (WMotion)

ACTIVE STATE



Thank You

"It's very likely that on the basis of philosophy that every error has to be caught, explained, and corrected, a system of the complexity of the living organism would not run for a millisecond."

---- von Neumann, Papers of John von Neumann on Computing and Computing Theory, Hixon Symposium, September 20, 1948, Pasadena, CA, The MIT Press, 1987, p474

C³DNA's composed hierarchical temporal information pattern and process management: Allows global knowledge to manage the evolution of a distributed process at scale with optimal resource utilization in real time even in the face of fluctuations both in the available resources and demands from the environment. It puts safety and survival of application/service first and allows sectionalizing, isolation, diagnosis and fixing of errors at leisure.

